

INTEGRATION BY PARTS - SUPPLEMENTAL HW SOLUTIONS

$$\textcircled{1} \int x e^{-x} dx = -x e^{-x} + \int e^{-x} dx = -x e^{-x} - e^{-x} + C$$

$$u = x \quad dv = e^{-x} dx$$

$$du = dx \quad v = -e^{-x}$$

like in class u-sub.
or Book of memories :)

$$\textcircled{2} \int x \sec x \tan x dx = x \sec x - \int \sec x dx = x \sec x - \ln |\sec x + \tan x| + C$$

$$u = x \quad dv = \sec x \tan x dx$$

$$du = dx \quad v = \sec x$$

u-substitution

$$\textcircled{3} \int \cot^{-1} x dx = x \cdot \cot^{-1} x + \int \frac{x}{1+x^2} dx = x \cdot \cot^{-1}(x) + \frac{1}{2} \ln |1+x^2| + C$$

$$u = \cot^{-1} x \quad dv = dx$$

$$du = -\frac{1}{1+x^2} dx \quad v = x$$

$$u = 1+x^2$$

$$du = 2x dx$$

$$\textcircled{4} \int e^{-x} \sin x dx = -e^{-x} \cos x - \int e^{-x} \cos x dx = -e^{-x} \cos x - \left[e^{-x} \sin x + \int e^{-x} \sin x dx \right]$$

$$u = e^{-x} \quad dv = \sin x dx$$

$$du = -e^{-x} dx \quad v = -\cos x$$

$$u = e^{-x} \quad dv = \cos x$$

$$du = -e^{-x} dx \quad v = \sin x$$

$$= -e^{-x} \cos x - e^{-x} \sin x - \int e^{-x} \sin x dx$$

$$\therefore 2 \int e^{-x} \sin x dx = -e^{-x} \cos x - e^{-x} \sin x + C$$

$$\int e^{-x} \sin x dx = \frac{-e^{-x}}{2} \cos x - \frac{e^{-x}}{2} \sin x + C$$

$$\textcircled{5} \int \sin x \ln(\cos x) dx = -\cos x \ln(\cos x) - \int \sin x dx$$

$$u = \ln(\cos x) \quad dv = \sin x dx \quad = -\cos x \ln(\cos x) + \cos x + C$$

$$du = \frac{1}{\cos x} \cdot (-\sin x) dx \quad v = -\cos x$$

$$\textcircled{6} \int \csc^3 x dx = \int \csc x \cdot \csc^2 x dx = -\csc x \cot x - \int \csc x \cot^2 x dx$$

$$u = \csc x \quad dv = \csc^2 x dx \quad = -\csc x \cot x - \int \csc x (\csc^2 x - 1) dx$$

$$du = -\csc x \cot x dx \quad v = -\cot x \quad = -\csc x \cot x - \int \csc^3 x dx + \int \csc x dx$$

$$2 \int \csc^3 x dx = -\csc x \cot x + \int \csc x dx$$

$$\csc x (\csc x + \cot x) \quad 2 \int \csc^3 x dx = -\csc x \cot x - \ln |\csc x + \cot x| +$$

$$\csc x \cdot v = \cot x$$

$$\int \csc^3 x dx = -\frac{1}{2} \csc x \cot x - \frac{1}{2} \ln |\csc x + \cot x| +$$

$$\textcircled{7} \int \cos \sqrt{x} dx = \int 2\sqrt{x} \cos w dw = \int 2w \cos w dw$$

$$w = \sqrt{x}$$

$$dw = \frac{dx}{2\sqrt{x}}$$

$$= 2 \int w \cos w dw$$

$$u = w \quad dv = \cos w$$

$$du = dw \quad v = \sin w$$

$$= 2 \left[w \sin w - \int \sin w dw \right]$$

$$= 2 w \sin w + 2 \cos w + C$$

$$= 2 \sqrt{x} \sin \sqrt{x} + 2 \cos \sqrt{x} + C$$

ALT:

$$\int \cos \sqrt{x} dx = \int \cos w (2w) dw$$

$$w = \sqrt{x}$$

$$= 2 \int w \cos w dw$$

$$w^2 = x$$

$$w dw = dx$$

↑
now use By Parts!

$$7. \int e^{4x} \sin(5x) dx = -\frac{1}{5} e^{4x} \cos(5x) + \left(\frac{4}{5}\right) \int e^{4x} \cos(5x) dx$$

Distribute this

$$u = e^{4x} \quad dv = \sin(5x) dx$$

$$du = 4e^{4x} dx \quad v = -\frac{1}{5} \cos(5x)$$

$$u = e^{4x} \quad dv = \cos(5x)$$

$$du = 4e^{4x} dx \quad v = \frac{1}{5} \sin(5x)$$

$$= -\frac{1}{5} e^{4x} \cos(5x) + \frac{4}{25} e^{4x} \sin(5x) - \left(\frac{16}{25}\right) \int e^{4x} \sin(5x) dx$$

$$\int e^{4x} \sin(5x) dx + \frac{16}{25} \int e^{4x} \sin(5x) dx = -\frac{1}{5} e^{4x} \cos(5x) + \frac{4}{25} e^{4x} \sin(5x) + C$$

$$\frac{41}{25} \int e^{4x} \sin(5x) dx = -\frac{1}{5} e^{4x} \cos(5x) + \frac{4}{25} e^{4x} \sin(5x) + C$$

$$\boxed{\int e^{4x} \sin(5x) dx = -\frac{5}{41} e^{4x} \cos(5x) + \frac{4}{41} e^{4x} \sin(5x) + C}$$

* add this to both sides

