








AB.Q202.NOTES: Chapter 3.8, 3.9 – Lesson 1


Quick Reference




$$y = \sin(x)$$




$$y = \sin^{-1}(x)$$




$$y = \tan(x)$$




$$y = \tan^{-1}(x)$$



$$y = \sec(x)$$



$$y = \sec^{-1}(x)$$



Development of Inverse Trigonometric Function Derivatives

Development of Transcendental Function Derivatives

Practice Problems

LESSON 1 HW

Section 3.8: #1 – 21 odd, 35-40 M.C.

Section 3.9: #5-25 odd, 31, 49

(LEAVE THE ANSWERS UNSIMPLIFIED)

SECTION 3.8	SECTION 3.9
1. $y = \cos^{-1}(x^2)$ Find $\frac{dy}{dx}$	5. $y = e^{2x/3}$ Find $\frac{dy}{dx}$
3. $y = \sin^{-1}\sqrt{2}t$ Find $\frac{dy}{dt}$	7. $y = e^2x - e^x$ Find $\frac{dy}{dx}$
5. $y = \sin^{-1}\frac{3}{t^2}$ Find $\frac{dy}{dt}$	9. $y = e^{\sqrt{x}}$ Find $\frac{dy}{dx}$
7. $y = x \sin^{-1}x + \sqrt{1-x^2}$ Find $\frac{dy}{dx}$	11. $y = 8^x$ Find $\frac{dy}{dx}$
9. $x = \sin^{-1}\left(\frac{t}{4}\right)$ Find $x'(3)$	13. $y = 3^{\csc x}$ Find $\frac{dy}{dx}$
11. $x = \tan^{-1}t$ Find $x'(2)$	15. $y = \ln(x^2)$ Find $\frac{dy}{dx}$
13. $y = \sec^{-1}(2s+1)$ Find $\frac{dy}{ds}$	17. $y = \ln\left(\frac{1}{x}\right)$ Find $\frac{dy}{dx}$
15. $y = \csc^{-1}(x^2+1)$, $x > 0$ Find $\frac{dy}{dx}$	19. $y = \ln(\ln x)$ Find $\frac{dy}{dx}$
17. $y = \sec^{-1}\frac{1}{t}$, $0 < t < 1$ Find $\frac{dy}{dt}$	21. $y = \log_4 x^2$ Find $\frac{dy}{dx}$
19. $y = \cot^{-1}\sqrt{t-1}$ Find $\frac{dy}{dt}$	23. $y = \log_2\left(\frac{1}{x}\right)$ Find $\frac{dy}{dx}$
21. $y = \tan^{-1}\sqrt{x^2-1} + \csc^{-1}x$, $x > 1$ Find $\frac{dy}{dx}$	25. $y = \ln 2 \cdot \log_2 x$ Find $\frac{dy}{dx}$

3.9 #31

A line with slope m passes through the origin and is tangent to $y = \ln(2x)$.

What is the value of m ?

3.9 #49

Find an equation for the line tangent to the graph of $y = e^x$ and goes through the origin.

3.8 #35-40 Multiple Choice

35. **True or False** The domain of $y = \sin^{-1}x$ is $-1 \leq x \leq 1$.

Justify your answer.

36. **True or False** The domain of $y = \tan^{-1}x$ is $-1 \leq x \leq 1$.

Justify your answer.

37. **Multiple Choice** Which of the following is $\frac{d}{dx} \sin^{-1}\left(\frac{x}{2}\right)$?

(A) $-\frac{2}{\sqrt{4-x^2}}$ (B) $-\frac{1}{\sqrt{4-x^2}}$ (C) $\frac{2}{4+x^2}$

(D) $\frac{2}{\sqrt{4-x^2}}$ (E) $\frac{1}{\sqrt{4-x^2}}$

38. **Multiple Choice** Which of the following is $\frac{d}{dx} \tan^{-1}(3x)$?

(A) $-\frac{3}{1+9x^2}$ (B) $-\frac{1}{1+9x^2}$ (C) $\frac{1}{1+9x^2}$

(D) $\frac{3}{1+9x^2}$ (E) $\frac{3}{\sqrt{1-9x^2}}$

39. **Multiple Choice** Which of the following is $\frac{d}{dx} \sec^{-1}(x^2)$?

(A) $\frac{2}{x\sqrt{x^4-1}}$ (B) $\frac{2}{x\sqrt{x^2-1}}$ (C) $\frac{2}{x\sqrt{1-x^4}}$

(D) $\frac{2}{x\sqrt{1-x^2}}$ (E) $\frac{2x}{\sqrt{1-x^4}}$

40. **Multiple Choice** Which of the following is the slope of the tangent line to $y = \tan^{-1}(2x)$ at $x = 1$?

(A) $-2/5$ (B) $1/5$ (C) $2/5$ (D) $5/2$ (E) 5

LESSON 1 HW EXTENSION

1. IN Section 3.8 #5 $\frac{dy}{dt} = \frac{1}{\sqrt{1 - \left(\frac{3}{t^2}\right)^2}} \cdot -6t^{-3}$ This answer simplifies to $\frac{-6}{t\sqrt{t^4 - 9}}$.

SHOW HOW.

2. IN Section 3.8 #17 $\frac{dy}{dt} = \frac{1}{\left|\frac{1}{t}\right| \sqrt{\left(\frac{1}{t}\right)^2 - 1}} \cdot \frac{-1}{t^2}$ This answer simplifies to $\frac{-1}{\sqrt{1 - t^2}}$.

SHOW HOW.

3. IN Section 3.8 #37 $\frac{dy}{dx} = \frac{1}{\sqrt{1 - \left(\frac{x}{2}\right)^2}} \cdot \frac{1}{2}$ This answer simplifies to $\frac{1}{\sqrt{4 - x^2}}$.

SHOW HOW.

AB.Q202.NOTES: Chapter 3.8, 3.9 – Lesson 2

PART I. Derivatives with Log Properties and Logarithmic Differentiation

First Using Log Properties to Find a Derivative

Logarithmic Differentiation

Part II. Calculus of General Inverses Functions

THM: If the domain of a function f is an interval on which $f'(x) > 0 \quad \forall x$ or which $f'(x) < 0 \quad \forall x$, then f has an inverse.

$f'(x) > 0$ implies that f is increasing.

$f'(x) < 0$ implies that f is decreasing.

FORMULA:

Example: Consider $f(x) = x^5 + x + 1$ on $(-\infty, \infty)$.

1. Prove that the inverse of $f(x)$ is also a function?

2. Find the slope of the inverse function f^{-1} at $x = 3$.

EXAMPLE 2: $f(x) = 2x^3 + 5x + 3$

EXAMPLE 3: $f(x) = 5x^3 + x - 7$

EXAMPLE 4: $f(x) = 2x^5 + x^3 + 1$ Let $g(x) = f^{-1}(x)$

Formula Development

Task: Construct a relationship between the slope of a function f at (a, b) and the slope of the inverse function at (b, a) .

LESSON 2 HW

Section 3.9 #43, 45, 46, and 47 + MC 2 and 3

Section 3.8 #28, 29 + extra problem

3.9 #43: $y = (\sin x)^x$, $0 < x < \pi/2$. Find $\frac{dy}{dx}$ using logarithmic differentiation.

3.9 #45: $y = \sqrt[5]{\frac{(x-3)^4(x^2+1)}{(2x+5)^3}}$. Find $\frac{dy}{dx}$ using logarithmic differentiation.

3.9 #45: $y = \frac{x\sqrt{x^2+1}}{(x+1)^{2/3}}$. Find $\frac{dy}{dx}$ using logarithmic differentiation.

3.9 #47: $y = x^{\ln x}$. Find $\frac{dy}{dx}$ using logarithmic differentiation.

2. Multiple Choice Which of the following gives dy/dx

if $y = \cos^3(3x - 2)$?

(A) $-9 \cos^2(3x - 2) \sin(3x - 2)$

(B) $-3 \cos^2(3x - 2) \sin(3x - 2)$

(C) $9 \cos^2(3x - 2) \sin(3x - 2)$

(D) $-9 \cos^2(3x - 2)$

(E) $-3 \cos^2(3x - 2)$

3. Multiple Choice Which of the following gives dy/dx

if $y = \sin^{-1}(2x)$?

(A) $-\frac{2}{\sqrt{1-4x^2}}$ (B) $-\frac{1}{\sqrt{1-4x^2}}$ (C) $\frac{2}{\sqrt{1-4x^2}}$

(D) $\frac{1}{\sqrt{1-4x^2}}$ (E) $\frac{2x}{1+4x^2}$

3.8 #28: Let $f(x) = x^5 + 2x^3 + x - 1$

(A) Prove that the inverse of f is also a function

(B) Find $f(1)$ and $f'(1)$

(C) Find $f^{-1}(3)$ and $(f^{-1})'(3)$

3.8 #29: Let $f(x) = \cos x + 3x$. Also let $g(x) = f^{-1}(x)$

(A) Prove that the inverse of f is also a function

(B) Find $g'(1)$

EXTRA PROBLEM: Find a positive value of $x = a$ such that the tangent to $f(x) = x^2 + 4$ at $x = a$ also passes through the point $(0, 2)$.

AB.Q202.NOTES: Chapter 3.8, 3.9 – Lesson 3
PRACTICE EXAMINATION

SEE HAND WRITTEN PRACTICE EXAM (PDF)